

----- POPULATION ESTIMATES -----				----- CANCER INCIDENCE -----		----- LOCAL PUBLIC HEALTH -----		
Total 1997 Population Est 38,190				(Cancer incidence is for 1996)		Activities Reported Number Per		
Percent Female 49.9						10,000		
Population per square mile 45				Primary Site Number		Public Health Nursing		
Rank in state 35				Breast 13		Total clients 487 128		
(1=highest population density,				Cervical 5		Total visits 1,339 353		
72=lowest population density.)				Colorectal 18		Visits: Reason for		
				Lung, Trachea, & Bronchus 5		Gen hlth promotion 235 62		
				Prostate 15		Infant/child hlth 556 147		
				<u>Other sites</u> 55		Infectious & parasitic 90 24		
				Total 111		Circulatory . .		
						Prenatal 294 78		
						Postpartum 137 36		
						WIC Participants 1,536 402		
						Clinic Visits 13,553 3,575		
						Immunization 6,073 1,602		
						Blood pressure . .		
						Environmental Contacts		
						Env hazards 75 20		
						Public health nuisance 143 38		
						School Health		
						Vision screenings 542 143		
						Hearing screenings 596 157		
						Health Education		
						Community sessions 44 12		
						Community attendance 2,260 596		
						School sessions 36 9		
						School attendance 1,071 283		
						Staffing - FTEs		
						Total staff 11 3.0		
						Administrators 2 0.5		
						Public health nurses 5 1.2		
						Public health aides . .		
						Environmental specialists 1 0.3		
						LOCAL PUBLIC HEALTH FUNDING		
						Per		
						Amount Capita		
						Total funding \$548,953 \$14.48		
						Local taxes \$323,311 \$8.53		

[illegible]

----- M O R B I D I T Y -----

REPORTED* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	5
Giardiasis	21
Hepatitis Type A	<5
Hepatitis Type B**	0
Hepatitis NANB/C***	0
Legionnaire's	0
Lyme	19
Measles	0
Meningitis, Aseptic	0
Meningitis, Bacterial	<5
Mumps	0
Pertussis	12
Salmonellosis	11
Shigellosis	<5
Tuberculosis	<5

- * 1997 provisional data
 ** Includes all positive HBsAg test results
 *** Includes acute disease only

Sexually Transmitted Disease

Chlamydia Trachomatis	71
Genital Herpes	15
Gonorrhea	<5
Nongonococcal Cervicitis	0
Nongonococcal Urethritis	0
Syphilis	0

----- I M M U N I Z A T I O N S -----

Children in Grades K-12 by
Compliance Level

Compliant	6,147
Non-compliant	75
Percent Compliant	98.8

----- M O R T A L I T Y -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS	243
Crude Death Rate	636

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	.	.
5-14	1	.
15-19	.	.
20-34	14	.
35-54	17	.
55-64	22	903
65-74	39	1,721
75-84	69	4,254
85+	80	12,566

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	1	.
Neonatal	.	.
Post-neonatal	1	.
Unknown	.	.

Race of Mother

White	1	.
Black	.	.
Other	.	.
Unknown	.	.

Birth Weight

<1,500 gm	.	.
1,500-2,499 gm	1	.
2,500+ gm	.	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	2	.
Neonatal	.	.
Fetal	2	.

Selected

<u>Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	84	220
Coronary heart disease	50	131
Cancer (total)	60	157
Lung	7	.
Colorectal	7	.
Female breast	3	.*
Cerebrovascular Disease	23	60
Chron Obstr Pulmonary	5	.
Pneumonia & Influenza	10	.
Injuries	18	.
Motor vehicle	9	.
Diabetes	2	.
Infectious & Parasitic	.	.
Suicide	.	.

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING
OR CONTRIBUTING CAUSE OF DEATH

Alcohol	2	.
Other Drugs	5	.
Both Mentioned	1	.

----- M O T O R V E H I C L E C R A S H E S -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	395	7
Alcohol-Related	51	3
With Citation:		
For OWI	34	0
For Speeding	54	0
Motorcyclist	6	1
Bicyclist	8	0
Pedestrian	8	1

H O S P I T A L I Z A T I O N S

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All						Alcohol-Related					
Total	229	6.0	4.4	\$7,750	\$46	Total	72	1.9	4.7	\$2,198	\$4
<18	19	18-44	44	2.5	3.5	\$1,705	\$4
18-44	57	3.3	3.8	\$7,317	\$24	45-64	15
45-64	39	5.9	4.2	\$9,352	\$55	Pneumonia and Influenza					
65+	114	25.2	5.0	\$7,654	\$193	Total	133	3.5	4.8	\$5,853	\$20
Injury: Hip Fracture						<18	11
Total	41	1.1	6.7	\$11,582	\$12	45-64	19
65+	35	7.7	6.7	\$10,217	\$79	65+	93	20.6	5.0	\$5,495	\$113
Injury: Poisonings						Cerebrovascular Disease					
Total	14	Total	100	2.6	3.9	\$6,673	\$17
18-44	10	45-64	9
						65+	90	19.9	4.0	\$6,163	\$123
Psychiatric						Chronic Obstructive Pulmonary Disease					
Total	95	2.5	5.7	\$2,875	\$7	Total	82	2.1	3.0	\$3,649	\$8
<18	15	<18	8
18-44	53	3.0	4.9	\$2,314	\$7	18-44	13
45-64	17	45-64	20	3.0	2.9	\$3,864	\$12
65+	10	65+	41	9.1	3.5	\$4,004	\$36
Coronary Heart Disease						Drug-Related					
Total	222	5.8	3.6	\$10,051	\$58	Total	13
45-64	73	11.0	3.3	\$11,277	\$124	18-44	10
65+	138	30.5	3.7	\$9,262	\$282						
Malignant Neoplasms (Cancers): All						Total Hospitalizations					
Total	103	2.7	5.4	\$8,940	\$24	Total	3,319	86.9	3.5	\$5,297	\$460
18-44	5	<18	591	62.0	2.4	\$1,778	\$110
45-64	27	4.1	5.3	\$11,804	\$48	18-44	916	52.4	2.6	\$3,970	\$208
65+	69	15.2	5.6	\$7,797	\$119	45-64	514	77.4	3.6	\$7,637	\$591
Neoplasms: Female Breast (rates for female population)						65+	1,298	286.9	4.4	\$6,908	\$1,982
Total	5	-- P R E V E N T A B L E H O S P I T A L I Z A T I O N S * --					
Neoplasms: Colo-rectal						Total	518	13.6	3.5	\$4,138	\$56
Total	15	<18	58	6.1	2.2	\$1,991	\$12
65+	12	18-44	63	3.6	2.7	\$3,924	\$14
Neoplasms: Lung						45-64	84	12.6	3.7	\$5,444	\$69
Total	8	65+	313	69.2	3.9	\$4,228	\$292
Diabetes						* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 1997 differs from 1996. The major change is that secondary diagnosis of dehydration was included in 1996 and excluded in 1997. The total number of preventable hospitalizations in 1996 using the 1997 definition would have been 441.					
Total	39	1.0	4.3	\$5,988	\$6						
65+	16						